




Project NKLS
Project maintainer -
Time frame 2025-04-07 00:00 - 2025-04-13 23:59 (Europe/Copenhagen)

NB!
Chart data is aggregated by 4 min


10 - 105739, Crilles Tønnesens Allé 1B, C22, S/N: 105739, Calibrated: 2022-12-16, (18B) DIN4150-3 Anlage 25mm/s 1-315Hz



X-span 2025-04-07 00:00:00 - 2025-04-13 23:59:00

Y-span V, L, T : mm/s: 0.0 - 5.0




	V	L	T
Max	1.27 mm/s	2.68 mm/s	0.64 mm/s
Date	2025-04-13	2025-04-13	2025-04-13
Time	12:56:00	12:56:00	12:56:00
Hz	341	205	137



Project NKLS
Project maintainer -
Time frame 2025-04-14 00:00 - 2025-04-20 23:59 (Europe/Copenhagen)

NB!
Chart data is aggregated by 4 min


10 - 105739, Crilles Tønnesens Allé 1B, C22, S/N: 105739, Calibrated: 2022-12-16, (18B) DIN4150-3 Anlage 25mm/s 1-315Hz



X-span 2025-04-14 00:00:00 - 2025-04-20 23:59:00

Y-span V, L, T : mm/s: 0.0 - 0.50




	V	L	T
Max	0.20 mm/s	0.32 mm/s	0.14 mm/s
Date	2025-04-17	2025-04-17	2025-04-17
Time	13:36:00	15:56:00	15:56:00
Hz	410	205	228



Project NKLS
Project maintainer -
Time frame 2025-04-21 00:00 - 2025-04-27 23:59 (Europe/Copenhagen)


NB!
Chart data is aggregated by 4 min

10 - 105739, Crilles Tønnesens Allé 1B, C22, S/N: 105739, Calibrated: 2022-12-16, (18B) DIN4150-3 Anlage 25mm/s 1-315Hz



X-span 2025-04-21 00:00:00 - 2025-04-27 23:59:00
Y-span V, L, T: mm/s: 0.0 - 0.20




	V	L	T
Max	0.14 mm/s	0.19 mm/s	0.10 mm/s
Date	2025-04-26	2025-04-26	2025-04-24
Time	13:12:00	13:16:00	23:56:00
Hz	410	120	205



Project NKLS
Project maintainer -
Time frame 2025-04-28 00:00 - 2025-05-04 23:59 (Europe/Copenhagen)

NB!
Chart data is aggregated by 4 min


10 - 105739, Crilles Tønnesens Allé 1B, C22, S/N: 105739, Calibrated: 2022-12-16, (18B) DIN4150-3 Anlage 25mm/s 1-315Hz



X-span 2025-04-28 00:00:00 - 2025-05-04 23:59:00

Y-span V, L, T : mm/s: 0.0 - 4.0


	V	L	T
Max	1.28 mm/s	3.37 mm/s	0.69 mm/s
Date	2025-04-29	2025-04-29	2025-04-29
Time	13:32:00	13:32:00	13:32:00
Hz	293	81.9	293



Project NKLS
Project maintainer -
Time frame 2025-05-05 00:00 - 2025-05-11 23:59 (Europe/Copenhagen)


NB!
Chart data is aggregated by 4 min

10 - 105739, Crilles Tønnesens Allé 1B, C22, S/N: 105739, Calibrated: 2022-12-16, (18B) DIN4150-3 Anlage 25mm/s 1-315Hz



X-span 2025-05-05 00:00:00 - 2025-05-11 23:59:00
Y-span V, L, T : mm/s: 0.0 - 1.0

	V	L	T
Max	0.40 mm/s	0.63 mm/s	0.14 mm/s
Date	2025-05-05	2025-05-05	2025-05-05
Time	11:44:00	11:44:00	11:44:00
Hz	256	410	256



10 - 105739, Crilles Tønnesens Alle 1B

Sensor: C22 #: 105739 Standard: (18B) DIN4150-3 Anlage 25mm/s 1-315Hz Master(s) serial no.: 105739 Aggregate: Maximum
Unit: mm/s Latest calibration: 2022-12-16 Quantity: Velocity Interval time: 20 sec Aggregated time: 1 h Frequency weighting: OFF

Aggregation of data makes the different units presented unrelated and is not recommended for reporting when related units are needed

